



UBEECO
PACKAGING SOLUTIONS

A UFP INDUSTRIES COMPANY

Semi-Automatic Pallet Wrapper

1001E – Electromagnetic Brake

Our wide range of pallet wrapping machines are best-in-class for design, functionality and ease of use. All our machines can be customised with features to ensure you get maximum yield and efficiency from your wrap.

12-month Warranty

- ✓ *User-Friendly Control Panel*
- ✓ *2,000kg Capacity Heavy Duty Turntable*
- ✓ *High-Speed Operation*
- ✓ *Easy-to-Use Electromagnetic Brake*



www.ubeeco.com.au

1001E Specifications


Features

- ✓ User-friendly control panel
- ✓ High-speed operation
- ✓ Easy-to-use electromagnetic brake
- ✓ 2,000kg capacity heavy duty turntable
- ✓ Semi-automatic operation
- ✓ 4 wrap cycles
- ✓ Electronic eye sensor
- ✓ Same start/stop position for turntable
- ✓ Soft start and stop for turntable
- ✓ Schneider (French) inverters for turn table and film carriage
- ✓ Variable carriage speed
- ✓ Variable turntable speed
- ✓ Forklift transportable



Technical

- ✓ Wrapping height: 2.2m
- ✓ Turntable diameter: 1.6m
- ✓ Turntable height: 80mm
- ✓ Pallet weight limit: 2,000kg
- ✓ Film diameter limit: 350mm
- ✓ Film core limit: 76mm
- ✓ Film width limit: 500mm
- ✓ Film thickness: 12-35um
- ✓ Turntable speed: up to 12rpm
- ✓ Power supply: single phase / 240v / 50Hz



www.ubeeco.com.au



UBEECO
PACKAGING SOLUTIONS

A UFP INDUSTRIES COMPANY

Semi-Automatic Pallet Wrapper

2000B – Power Pre-Stretch

Our wide range of pallet wrapping machines are best-in-class for design, functionality and ease of use. All our machines can be customised with features to ensure you get maximum yield and efficiency from your wrap.

12-month Warranty

- ✓ User-Friendly Control Panel
- ✓ Same Stop/Start Position
- ✓ Variable Speed Film Carriage & Turntable
- ✓ Safe & Easy-to-Load Power Stretch Head
- ✓ 2,000kg Capacity Heavy Duty Turntable



www.ubeeeco.com.au

2000B Specifications


Features

- ✓ User-friendly control panel
- ✓ High-speed operation: up to 12rpm
- ✓ 4 wrap cycles
- ✓ 2,000kg capacity heavy duty turntable
- ✓ Powered pre-stretch stretch: stretches 1m of wrap up to 3.3m
- ✓ Safe and easy-to-load power stretch head
- ✓ Electronic eye sensor
- ✓ Variable film speed
- ✓ Same stop/start position for turntable
- ✓ Soft start and stop for turntable
- ✓ Variable carriage speed
- ✓ Variable turntable speed
- ✓ Available with extended mast and/or base



Technical

- ✓ Wrapping height: 2.2m (higher options available)
- ✓ Turntable diameter: 1.65m (other sizes available)
- ✓ Turntable height: 80mm
- ✓ Base can be extended to wrap 1.2 x 2.4m pallets
- ✓ Pallet weight limit: 2,000kg
- ✓ Film diameter limit: 350mm
- ✓ Film core limit: 76mm
- ✓ Film width limit: 500mm
- ✓ Film thickness: 12-35um
- ✓ Turntable speed: up to 12rpm
- ✓ Power supply: single phase / 240v / 50Hz



www.ubeeco.com.au



UBEECO
PACKAGING SOLUTIONS

A UFP INDUSTRIES COMPANY

Semi-Automatic Pallet Wrapper 2000K – Power Stretch

Our wide range of pallet wrapping machines are best-in-class for design, functionality and ease of use. All our machines can be customised with features to ensure you get maximum yield and efficiency from your wrap.

12-month Warranty

- ✓ Automatic Film Cutter
- ✓ User-Friendly Control Panel
- ✓ High-Speed Operation - up to 18rpm
- ✓ Electric Brake Lock Motor
- ✓ Safe & Easy-to-Load Power Stretch Head
- ✓ 3,000kg Capacity Heavy Duty Turntable



www.ubeeeco.com.au

2000K Specifications


Features

- ✓ Automatic film cutter
- ✓ User-friendly control panel
- ✓ High-speed operation: up to 18rpm
- ✓ Semi-automatic operation
- ✓ Electric brake lock motor
- ✓ 1.5kw heavy duty brake motor to lock turntable in position while loading and unloading
- ✓ 3,000kg capacity heavy duty turntable
- ✓ Powered pre-stretch: stretches 1m of wrap up to 3.3m
- ✓ Safe and easy-to-load power stretch head
- ✓ Electronic eye sensor
- ✓ Same stop/start position for turntable
- ✓ Soft start and stop for turntable
- ✓ Mitsubishi (Japanese) inverters for turntable and film carriage
- ✓ Variable carriage and turntable speed
- ✓ Forklift transportable
- ✓ Available with extended mast and/or base



Technical

- ✓ Wrapping height: 2.2m (higher options available)
- ✓ Turntable diameter: 1.65m (other sizes available)
- ✓ Turntable height: 80mm
- ✓ Base can be extended to wrap 1.2 x 2.4m pallets
- ✓ Pallet weight limit: 3,000kg
- ✓ Film diameter limit: 350mm
- ✓ Film core limit: 76mm
- ✓ Film width limit: 500mm
- ✓ Film thickness: 12-35um
- ✓ Turntable speed: up to 18rpm
- ✓ Power supply: single phase / 240v / 50Hz / 10 amps
- ✓ 1.5Kw brake motor (three phase)



www.ubeeco.com.au



UBEECO
PACKAGING SOLUTIONS

A UFP INDUSTRIES COMPANY

Fully Automatic Pallet Wrapper 2000F – Remote Start

Our wide range of pallet wrapping machines are best-in-class for design, functionality and ease of use. All our machines can be customised with features to ensure you get maximum yield and efficiency from your wrap.

12-month Warranty

- ✓ Remote Start, Fully-Automatic
- ✓ Attaches and Cuts Film
- ✓ Heat Seals for Clean, No-tails Finish
- ✓ User-friendly Siemens Touch Screen Control Panel
- ✓ High-speed Operation - up to 15rpm
- ✓ 2,000kg Capacity Heavy Duty Turntable



www.ubeeeco.com.au

2000F Specifications



Features

- ✓ Remote start, fully-automatic
- ✓ User-friendly Siemens touch screen control panel
- ✓ Attaches and cuts film. Heat seals for clean, no-tails finish
- ✓ High-speed operation: up to 15rpm
- ✓ 2,000kg capacity heavy duty turntable
- ✓ Electric brake lock motor
- ✓ 0.75kw heavy duty brake motor to lock turntable in position while loading and unloading
- ✓ Powered pre-stretch: stretches 1m of wrap up to 3.3m
- ✓ Safe and easy-to-load power stretch head
- ✓ Electronic eye sensor
- ✓ Same stop/start position for turntable
- ✓ Soft start and stop for turntable
- ✓ Schneider (French) inverters for turntable and film carriage
- ✓ Variable carriage and turntable speed
- ✓ Forklift transportable
- ✓ Available with extended mast and/or base



Technical

- ✓ Wrapping height: 2.2m (higher options available)
- ✓ Turntable diameter: 1.65m
- ✓ Turntable height: 80mm
- ✓ Pallet weight limit: 2,000kg
- ✓ Film diameter limit: 350mm
- ✓ Film core limit: 76mm
- ✓ Film width limit: 500mm
- ✓ Film thickness: 12-35um
- ✓ Turntable speed: up to 15rpm
- ✓ Power supply: single phase / 240v / 50Hz
- ✓ Air pressure required: 60psi



www.ubeeco.com.au